

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	0	"l48" and (hash\$5 near5 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 18:21
L4	80	((destination near4 address) near4 packet) near15 key) and (unicast or multicast) and mask	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 18:21
L5	28	L4 and indicator	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 18:21
L6	0	L5 and (hash\$5 near4 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 18:22
L7	0	L5 and (hash\$5 near10 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 18:22
L8	0	L5 and (hash\$5 near10 table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 18:22
S1	1284	(receiv\$5 near5 (content or data)) and (decod\$5 near5 (data or content)) and (compar\$5 near5 address) and (group near5 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 09:27
S2	681	S1 and (stored near address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 13:46
S3	8	S2 and (video near3 demand)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 10:53
S4	1	"5128766".PN.	USPAT; USOCR	OR	ON	2005/04/14 09:32

S5	2	"20020120860"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 10:53
S6	2	"20020120760"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 10:54
S7	2	"5778174".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 11:42
S8	1	pinhole and (firewall near5 controller)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 11:45
S9	194	(firewall near5 controller)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 11:46
S10	4	S9 AND (request\$5 near5 ((open\$4 near2 connection) or pinhole))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 11:47
S11	31	S9 AND (request\$5 near5 (((establish\$4 or open\$4 near2 connection) or pinhole))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 11:48
S12	6	S9 AND (request\$5 near5 (((establish\$4 or open\$4) near2 connection) or pinhole))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 12:15
S13	1	S9 AND (request\$5 near5 (((clos\$5 and open\$4) near2 connection) or pinhole))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 12:16
S14	7	S9 AND (((clos\$5 and open\$4) near2 connection) or pinhole)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 12:19

S15	22	address and (request\$5 near10 ((open\$5 or clos\$5) near4 firewall))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 12:36
S16	1	(firewall near controller) same (request\$5 near10 ((open\$5 or clos\$5) near4 firewall))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 12:36
S17	1	(firewall near controller) and (request\$5 near10 ((open\$5 or clos\$5) near4 firewall))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 12:36
S18	1	(firewall near controller) and (request\$5 near20 ((open\$5 or clos\$5) near10 firewall))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 12:37
S19	55	(request\$5 near20 ((open\$5 or clos\$5) near10 firewall))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 12:37
S20	54	S19 not S18	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 12:37
S21	5	S20 and switch and gateway	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 12:38
S22	3	S1 and ((stored near address) same (table near10 key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 13:48
S23	0	S1 and ((stor\$5 near10 (table near5 address)) same (correspond\$5 near10 (encrypt\$5 near3 key)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 13:51
S24	1	S1 and ((stor\$5 near10 (table near5 address)) same (encrypt\$5 near3 key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 13:58

S25	3	S1 and ((stor\$5 near5 table) same (device near5 address)) and (encrypt\$5 near3 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 14:03
S26	17	S1 and (conditional near3 access)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 14:15
S27	2162	(compar\$4 near4 address) same (table near3 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 14:15
S28	58	S27 and ((individual and group) near3 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 14:22
S29	12	713/162.ccls. and ((individual and group) near3 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 14:59
S30	89	(table near5 address) same (encryption near3 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 15:00
S31	0	(table near5 address) same (corresponding near10 (encryption near3 key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 15:01
S32	5	(table near5 address) same (correspond\$6 near10 (encryption near3 key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 15:05
S33	0	(table near5 (destination near address)) same (correspond\$6 near10 (encryption near3 key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 15:06
S34	7	(table near5 (destination near address)) same (correspond\$6 near10 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 15:06

S35	7	S34 not S32	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 15:14
S36	347	((destination near4 address) near4 packet) near15 key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 15:42
S37	3	S36 and (video near2 demand)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 15:17
S38	246	S36 and router and (address near5 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 15:18
S39	114	S38 and (compar\$5 near5 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 15:24
S40	4	S39 and (decod\$5 near5 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 15:25
S41	80	((((destination near4 address) near4 packet) near15 key) and (unicast or multicast) and mask	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 16:06
S42	77	S41 and indicat\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 16:10
S43	3	S42 and ((public or private) near key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 16:08
S44	0	S42 and (secret near4 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 16:09

S45	0	S42 and (hash\$5 near4 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 18:21
S46	0	S42 and (hash\$5 near10 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 16:10
S47	1	S41 and (hash\$5 near10 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 16:10
S48	28	S41 and indicator	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 18:20